

TECHNOLOGIES OF QUALITY







cylinders we produce

over 100 000 of our cylinders

is used all over the world

rapid implementation of changes O RURORALIA

if the customer needs it

long-time experience

use our expertise to grow your business

STABILITY and RELIABILITY







The EUROBALT Group is one of the leading European suppliers of hydraulic cylinders. Highly qualified engineers and specialists, design and manufacture hydraulic cylinders for our customers in the construction industry, manufacturers of large aggregates, machines and vehicles.

We also produce hydraulic cylinders that are used in the most demanding conditions, meeting high international quality standards, reliability and environmental friendliness. Continuous development of our knowledge and dynamic experience makes us technologically advanced partner.



New technologies for our products are implemented by our engineers

Work according to customer drawings
quarantees economical production

Modern 3D software to ensure the best quality

EN ISO 9001, EN ISO 3834-2, DIN 18800-7/E

is the basis for our production processes

MANUFACTURE








The component parts for our cylinders are manufactured on state-of-the-art machines on a multifunctional production line. With the CAD/CAM communication element, the production of small components can be economically optimized. In addition, our welding shop is certified according to standards. The special attention paid to the quality of our products piston rods, cylinder tubes, assembly, testing, and coating - ensures the cost-effective operation of our cylinders.

Thanks to the spacious layout of our assembly hall, it is possible to assemble cylinders with a stroke of up to 15 meters and a total weight of up to 25 tons. Each component is thoroughly cleaned in a specialized machine. All cylinders are pressure-tested with filtered hydraulic oil with additives. On our coating line, the cylinders are given a visually flawless and anti-corrosion finish.






Special cylinders	with and without braking
-------------------	--------------------------

Piston diameter up to 1000 mm

Operating stroke up to 15 m

Nominal pressure 700 bar

Weight up to 25 tons



Standard cylinders with and without braking

Piston diameter up to 320 mm

Operating stroke up to 6 m

Nominal pressure 250 bar

Weight up to 15 tons



Telescopic cylinders single- and double acting

Piston diameter up to 500 mm

Operating stroke up to 10 m

Nominal pressure 500 bar

Weight up to 25 tons

Production capacity250 000 pcs / yearPrecision classH8 / f7Extra hardeningAvailableChrome layerup to 70 μ

shop.eurobalt.net

hydraulic@eurobalt.net

+372 5693 1399

Valge 13, 11415 Tallinn, Estonia

HYDRAULIC CYLINDERS

SINGLE-, DOUBLE ACTING and TELESCOPIC